Ref #	Hits	Search Query	DBs	Default Operato r	Plural s	Time Stamp
_1	4270	emhart:as.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/07/24 16:53
L2	483	1 and rivet\$4	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/07/24 16:53
L3	339	1 and rivet\$4.ti.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/07/24 16:53
·L4	103	3 and (rivet\$4 near (tool or apparatus or device or machine or system or method))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/07/24 17:04

L5	188156	baffle	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/07/24 17:04
L6	43296	baffle with chamber	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/07/24 17:05
L7	1377	6 and rivet\$4	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/07/24 17:05
L8.	886	baffle with chamber with fluid with pressure	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/07/24 17:05
L9	1	baffle with chamber with fluid with pressure with rivet\$4	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/07/24 17:41

L10	0	(baffle adj chamber) with fluid with pressure with rivet\$4	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/07/24 17:31
Lite	1561	(baffle adj chamber)	US-PGPU B; USPAT; USOCR: EPO; JPO; DERWEN T; IBM_TDB	ØR	0Z	2005/07/24 17:31
L12	0	(baffle adj chamber) with piston with rod	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/07/24 17:31
L13	21	(baffle adj chamber) with piston	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	92	2005/07/24 17:32
L14	45	(baffle adj chamber) and piston with rod	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/07/24 17:33

L15	35	14 not 13	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/07/24 17:33
L16	886	baffle with chamber with fluid with pressure	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	20	2005/07/24 17:47
L17	48	16 and rivet\$4	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/07/24 17:41
L18	48	17 not 14	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OZ	2005/07/24 17:41
L19	42	baffle with chamber with fluid with pressure with hydraulic	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/07/24 17:51

L20	46	17 not 19	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/07/24 17:48
L21	40	19 not 17	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/07/24 17:48
L22	87	baffle with chamber with pressure with hydraulic	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/07/24 17:54
L23	85	22 not 17	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/07/24 17:51
L24	455	baffle with chamber and (booster or intensifier)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/07/24 18:07

L25	64	baffle with chamber and (booster or intensifier) and hydraulic and fluid	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/07/24 17:58
L26	. 291	baffle with chamber and (booster or intensifier) and (hydraulic or fluid)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	ØR	ON	2005/07/24 17:58
L27	227	26 not 25	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/07/24 18:02
L28	164	24 not 26	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/07/24 18:02
L29	171	baffle with (booster or intensifier)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OZ	2005/07/24 18:07

- L31	115	29 not 24	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/07/24 18:07
54	4006	((29/524.1) or (29/525.05) or (29/525.06) or (29/798) or (29/243.53) or (29/243.54) or (29/252)).CCLS.	US-PGPU B; USPAT; USOCR	OR	OFF	2005/07/24 16:52
S5	3487	((29/509) or (29/243.521) or (29/243.523) or (29/243.524)). <i>CC</i> LS.	US-PGPU B; USPAT; USOCR	OR	OFF	2005/07/19 18:56
56	300	((29/509) or (29/524.1) or (29/525.05) or (29/525.06) or (29/243.53) or (29/243.521) or (29/243.523) or (29/243.524) or (29/243.54) or (29/243.54) or (29/243.54) or (29/243.54)	EPO; JPO; DERWEN T; IBM_TDB	OR .	OFF	2005/07/20 15:50
57	130	((72/391.6) or (29/812.5)). CCLS.	US-PGPU B; USPAT; USOCR	OR	OFF	2005/07/20 16:00
.58	21	((72/391.6) or (29/812.5)). CCLS.	EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/07/20 16:00
<b>S9</b>	296	(29/709).CCLS.	US-PGPU B; USPAT; USOCR	OR	OFF	2005/07/21 08:43
S10	50.	(29/709):CCLS.	EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/07/21 08:43
S11	7	("5500990").URPN.	USPAT	OR	ON	2005/07/21 08:58

512	19	(James near Woyciesjes).in. or (David near Calkins).in.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/07/21 08:59
\$13	1	(rivet\$4 near (apparatus or tool or device or machine or system)) and (baffle and intensifier and jaw)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	ØR .	ON	2005/07/21 09:23
514	5	(rivet\$4 near (apparatus or tool or device or machine or system)) and (baffle and jaw)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/07/21 09:36
S15	42	(rivet\$4 near (apparatus or tool or device or machine or system)) and (housing and (pulling near head) and jaw)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/07/21 09:49
516	84	(rivet\$4 near (apparatus or tool or device or machine or system)) and (housing and jaw and chamber and piston)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/07/21 09:52

517	60	S16 not S15	US-PGPU	OR	ON	2005/07/21
		3.0	B;	•••	0,1	09:52
			USPAT;			07.52
,						
			USOCR;			
		·	EPO;			
			JPO;			
			DERWEN			
			<b>T</b> ;			
			IBM_TDB			
				ı		1